

L Number	Hits	Search Text	DB	Time stamp
1	48749	PCR or polymerase adj1 chain adj1 reaction near5(bias? or differential amplification)same hairpin primers	USPAT; US-PGPUB; DERWENT	2002/08/13 11:34
2	20	(PCR or polymerase adj1 chain adj1 reaction near5(bias? or differential amplification)same hairpin primers) same polymorph?	USPAT; US-PGPUB; DERWENT	2002/08/13 11:34

Welcome to STN International! Enter x:x

LOGINID:sssptal656sxc

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Apr 08 "Ask CAS" for self-help around the clock
NEWS 3 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 4 Apr 09 ZDB will be removed from STN
NEWS 5 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and
IFIUDB
NEWS 6 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and
ZCAPLUS
NEWS 7 Apr 22 BIOSIS Gene Names now available in TOXCENTER
NEWS 8 Apr 22 Federal Research in Progress (FEDRIP) now available
NEWS 9 Jun 03 New e-mail delivery for search results now available
NEWS 10 Jun 10 MEDLINE Reload
NEWS 11 Jun 10 PCTFULL has been reloaded
NEWS 12 Jul 02 FOREGE no longer contains STANDARDS file segment
NEWS 13 Jul 22 USAN to be reloaded July 28, 2002;
saved answer sets no longer valid
NEWS 14 Jul 29 Enhanced polymer searching in REGISTRY
NEWS 15 Jul 30 NETFIRST to be removed from STN
NEWS 16 Aug 08 CANCERLIT reload
NEWS 17 Aug 08 PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 18 Aug 08 NTIS has been reloaded and enhanced
NEWS 19 Aug 09 JAPIO to be reloaded August 18, 2002

NEWS EXPRESS February 1 CURRENT WINDOWS VERSION IS V6.0d,
CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),
AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:21:11 ON 13 AUG 2002

=> FIL BIOSIS MEDLINE EMBASE LIFESCI CAPLUS

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

FULL ESTIMATED COST

ENTRY

SESSION

0.21

0.21

FILE 'BIOSIS' ENTERED AT 11:21:18 ON 13 AUG 2002

COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'MEDLINE' ENTERED AT 11:21:18 ON 13 AUG 2002

FILE 'EMBASE' ENTERED AT 11:21:18 ON 13 AUG 2002

COPYRIGHT (C) 2002 Elsevier Science B.V. All rights reserved.

FILE 'LIFESCI' ENTERED AT 11:21:18 ON 13 AUG 2002

COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'CAPLUS' ENTERED AT 11:21:18 ON 13 AUG 2002

USE IS SUBJECT TO THE TERMS OF YOUR SITE CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

=> s polymerase (w) chain (w) reaction (s) bias? or differential or enhance

L1 1463531 POLYMERASE (W) CHAIN (W) REACTION (S) BIAS? OR DIFFERENTIAL OR
ENHANCE

=> s l1 (P) polymorph? site#

L2 111 L1 (P) POLYMORPH? SITE#

=> dup rem l2

PROCESSING COMPLETED FOR L2

L3 40 DUP REM L2 (71 DUPLICATES REMOVED)

=> d l3 1-40 ti so au

L3 ANSWER 1 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
1

TI Mitochondrial DNA heteroplasmy in wheat, Aegilops and their
nucleus-cytoplasm hybrids.

SO Genetics, (April, 2002) Vol. 160, No. 4, pp. 1619-1630. print.
ISSN: 0016-6731.

AU Hattori, Nobuaki; Kitagawa, Kazuaki; Takumi, Shigeo; Nakamura, Chiharu
(1)

L3 ANSWER 2 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
2

TI Molecular characterization and differential expression of the myostatin
gene in channel catfish (Ictalurus punctatus).

SO Biochimica et Biophysica Acta, (3 May, 2002) Vol. 1575, No. 1-3, pp.
99-107. <http://www.elsevier.com/locate/bba>. print.
ISSN: 0006-3002.

AU Kocabas, Arif M.; Kucuktas, Huseyin; Dunham, Rex A.; Liu, Zhanjiang (1)

L3 ANSWER 3 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
3

TI Unequal contributions of male and female gene pools from parental
populations in the African descendants of the city of Melo, Uruguay.

SO American Journal of Physical Anthropology, (May, 2002) Vol. 118, No. 1,
pp. 33-44. <http://www.interscience.wiley.com/jpages/0148-7299/>. print.
ISSN: 0002-9483.

AU Sans, Monica (1); Weimer, Tania A.; Franco, Maria Helena L. P.; Salzano,
Francisco M.; Bentancor, Nilo; Alvarez, Ines; Bianchi, Nestor O.;

Chakraborty, Ranajit

- L3 ANSWER 4 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
4
TI Short tandem repeat polymorphism linkage to the androgen receptor gene in
prostate carcinoma.
SO Cancer, (November 15, 2001) Vol. 92, No. 10, pp. 2603-2608. print.
ISSN: 0008-543X.
AU Riley, Donald E. (1); Krieger, John N.
- L3 ANSWER 5 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
5
TI Genetic, structural and functional diversities of human complement
components C4A and C4B and their mouse homologues, S1p and C4.
SO International Immunopharmacology, (March, 2001) Vol. 1, No. 3, pp.
365-392. print.
ISSN: 1567-5769.
AU Blanchong, Carol A.; Chung, Erwin K.; Rupert, Kristi L.; Yang, Yan; Yang,
Zhenyu; Zhou, Bi; Moulds, Joann M.; Yu, C. Yung (1)
- L3 ANSWER 6 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
6
TI Promoter haplotype combinations of the platelet-derived growth factor
alpha-receptor gene predispose to human neural tube defects.
SO Nature Genetics, (February, 2001) Vol. 27, No. 2, pp. 215-217. print.
ISSN: 1061-4036.
AU Joosten, Paul H. L. J. (1); Toepoel, Mascha; Mariman, Edwin C. M.; Van
Zoelen, Everardus J. J.
- L3 ANSWER 7 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
7
TI Identification of human ccn2 (connective tissue growth factor) promoter
polymorphisms.
SO Molecular Pathology, (June, 2001) Vol. 54, No. 3, pp. 192-196. print.
ISSN: 1366-8714.
AU Blom, I. E.; van Dijk, A. J.; de Weger, R. A.; Tilanus, M. G. J.;
Goldschmeding, R. (1)
- L3 ANSWER 8 OF 40 CAPLUS COPYRIGHT 2002 ACS
TI Intracellular RNA destruction based on RNA secondary structure and
formation of small molecule-RNA-protein complexes
SO PCT Int. Appl., 75 pp.
CODEN: PIXXD2
IN Stanton, Vincent P., Jr.; Basilion, James P.; Shen, Ling; Verdine,
Gregory
- L3 ANSWER 9 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
8
TI Structure-expression relationships of the 15-kDa selenoprotein gene:
Possible role of the protein in cancer etiology.
SO Journal of Biological Chemistry, (November 10, 2000) Vol. 275, No. 45,
pp.
35540-35547. print.
ISSN: 0021-9258.
AU Kumaraswamy, Easwari; Malykh, Andrey; Korotkov, Konstantin V.; Kozyavkin,
Sergei; Hu, Yajun; Kwon, So Yeon; Moustafa, Mohamed E.; Carlson, Bradley
A.; Berry, Marla J.; Lee, Byeong J.; Hatfield, Dolph L.; Diamond, Alan
M.;
Gladyshev, Vadim N. (1)
- L3 ANSWER 10 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
INC.DUPLICATE

- TI An uncommon phenotype of poor inducibility of CYP1A1 in human lung is not ascribable to polymorphisms in the AHR, ARNT, or CYP1A1 genes.
- SO Pharmacogenetics, (November, 2000) Vol. 10, No. 8, pp. 741-751. print. ISSN: 0960-314X.
- AU Anttila, Sisko; Lei, Xiang-Dong; Elovaara, Eivor; Karjalainen, Antti; Sun, Weimin; Vainio, Harri; Hankinson, Oliver (1)
- L3 ANSWER 11 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI Genetic polymorphisms in glutathione S-transferase and plasminogen activator inhibitor and risk of veno-occlusive disease (VOD).
- SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 390a. print. Meeting Info.: 42nd Annual Meeting of the American Society of Hematology San Francisco, California, USA December 01-05, 2000 American Society of Hematology . ISSN: 0006-4971.
- AU Tse, William T. (1); Beyer, Wendy (1); Pendleton, John D. (1); Richardson, Paul; Guinan, Eva C. (1)
- L3 ANSWER 12 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
- 10
- TI Clonality analysis of defined cell populations in paraffin-embedded tissue sections by RT-PCR amplification of X-linked G6PD gene.
- SO Journal of Pathology, (July, 2000) Vol. 191, No. 3, pp. 313-317. print. ISSN: 0022-3417.
- AU Peng, Huaizheng; Lakhani, Sunil R. (1); Lee, Chungyin; Zheng, Qiang; Chaggar, Ranbir K.; Wright, Nicholas A.; Pan, Langxing; Isaacson, Peter G.
- L3 ANSWER 13 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
- 11
- TI Cloning and characterisation of polymorphic heterochromatic segments of *Brachycome dichromosomatica*.
- SO Chromosoma (Berlin), (2000) Vol. 109, No. 3, pp. 206-213. print. ISSN: 0009-5915.
- AU Houben, Andreas (1); Wanner, Gerhard; Hanson, Lynda; Verlin, Dawn; Leach, Carolyn R.; Timmis, Jeremy N.
- L3 ANSWER 14 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI Sequence dependent expression of Hb F Malta I (OR alpha2 Ggamma2117 HisfwdarwArg) in heterozygotes and homozygotes.
- SO Blood, (November 16, 2000) Vol. 96, No. 11 Part 1, pp. 12a. print. Meeting Info.: 42nd Annual Meeting of the American Society of Hematology San Francisco, California, USA December 01-05, 2000 American Society of Hematology . ISSN: 0006-4971.
- AU Felice, Alex (1); Bonello, Steve (1); Galdies, Ruth (1); Pizzuto, Monica (1); Pulis, Svetlana E. (1)
- L3 ANSWER 15 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
- 12
- TI Differential expression of bovine beta-lactoglobulin A and B promoter variants in transiently transfected HC11 cells.
- SO Journal of Dairy Research, (Nov., 1999) Vol. 66, No. 4, pp. 537-544. ISSN: 0022-0299.

AU Folch, Josep M. (1); Dovc, Peter; Medrano, Juan F.

L3 ANSWER 16 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
INC.DUPLICATE

13

TI A common functional polymorphism in the promoter region of the microsomal triglyceride transfer protein gene influences plasma LDL levels.

SO Arteriosclerosis Thrombosis and Vascular Biology, (May, 1998) Vol. 18,
No.

5, pp. 756-761.

ISSN: 1079-5642.

AU Karpe, Fredrik (1); Lundahl, Bjorn; Ehrenborg, Ewa; Eriksson, Per;
Hamsten, Anders

L3 ANSWER 17 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
INC.DUPLICATE

14

TI Aromatic hydrocarbon receptor polymorphism: Development of new methods to correlate genotype with phenotype.

SO Environmental Health Perspectives, (July, 1998) Vol. 106, No. 7, pp.
421-426.

ISSN: 0091-6765.

AU Maier, Andrew; Micka, Jana; Miller, Kevin; Denko, Timothy; Chang,
Ching-Yi; Nebert, Daniel W.; Puga, Alvaro (1)

L3 ANSWER 18 OF 40 CAPLUS COPYRIGHT 2002 ACS

TI Flow cytometry-based DNA hybridization and polymorphism analysis

SO Proceedings of SPIE-The International Society for Optical Engineering
(1998), 3256(Advances in Optical Biophysics), 171-177

CODEN: PSISDG; ISSN: 0277-786X

AU Cai, Hong; Kommander, Kristina; White, P. Scott; Nolan, John P.

L3 ANSWER 19 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
INC.DUPLICATE

15

TI Allelic polymorphisms in the transcriptional regulatory region of
apolipoprotein E gene.

SO FEBS Letters, (Jan. 9, 1998) Vol. 421, No. 2, pp. 105-108.

ISSN: 0014-5793.

AU Artiga, Maria J.; Bullido, Maria J.; Sastre, Isabel; Recuero, Maria;
Garcia, Miguel A.; Aldudo, Jesus; Vazquez, Jesus; Valdivieso, Fernando
(1)

L3 ANSWER 20 OF 40 MEDLINE

TI Differential expression of a cDNA clone in human liver versus hepatic
cancer--highly homologous to aryl-dialkyl-phosphatase.

SO CELL RESEARCH, (1997 Jun) 7 (1) 79-90.

Journal code: 9425763. ISSN: 1001-0602.

AU Wang K K; Wan D F; Qiu X K; Lu P X; Gu J R

L3 ANSWER 21 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
INC.DUPLICATE

16

TI Computer-aided microtelephotometric study of dysplasia and adenocarcinoma
of the large intestine in patients with chronic nonspecific colitis.

SO Klinicheskaya Laboratornaya Diagnostika, (Oct., 1997) Vol. 0, No. 10, pp.
34-35.

ISSN: 0869-2084.

AU Avtandilov, G. G.; Chervonnaya, L. V.; Simakina, E. P.

L3 ANSWER 22 OF 40 CAPLUS COPYRIGHT 2002 ACS

TI Diagnostic method and kit for determining Kell blood group genotype
 SO PCT Int. Appl., 140 pp.
 CODEN: PIXXD2
 IN Lee, Soohee; Redman, Colvin L.

L3 ANSWER 23 OF 40 MEDLINE DUPLICATE 17
 TI [Hemophilia A: analysis of intron 18 and intron 7 of factor VIII gene and their role in a diagnostic strategy for carrier detection in a Chilean population].
 Hemofilia A: analisis del intron 18 e intron 7 del gen del factor VIII y su rol en una estrategia de diagnostico de portadoras en una poblacion chilena.
 SO REVISTA MEDICA DE CHILE, (1996 Jul) 124 (7) 777-84.
 Journal code: 0404312. ISSN: 0034-9887.
 AU Quiroga T; Goycoolea M; Kaltwasser G; Morales M; Vildosola J; Munoz B; Pereira J; Mezzano D

L3 ANSWER 24 OF 40 CAPLUS COPYRIGHT 2002 ACS
 TI Improved oligonucleotide primer set for molecular diagnosis of X-linked agammaglobulinemia: predominance of amino acid substitutions in the catalytic domain of Bruton's tyrosine kinase
 SO Hum. Mol. Genet. (1995), 4(12), 2403-05
 CODEN: HMGE5; ISSN: 0964-6906
 AU Vorechovsky, Igor; Luo, Liping; de Saint Basile, Genevieve; Hammarstroem, Lennart; Webster, A. David B.; Smith, C. I. Edvard

L3 ANSWER 25 OF 40 MEDLINE DUPLICATE 18
 TI Identification and characterization of monoclonal antibodies specific for polymorphic antigenic determinants within the V2 region of the human immunodeficiency virus type 1 envelope glycoprotein.
 SO JOURNAL OF VIROLOGY, (1995 Jan) 69 (1) 222-30.
 Journal code: 0113724. ISSN: 0022-538X.
 AU Shotton C; Arnold C; Sattentau Q; Sodroski J; McKeating J A

L3 ANSWER 26 OF 40 CAPLUS COPYRIGHT 2002 ACS
 TI Identification and characterization of monoclonal antibodies specific for polymorphic antigenic determinants within the V2 region of the human immunodeficiency virus type 1 envelope glycoprotein
 SO J. Virol. (1995), 69(1), 220-30
 CODEN: JOVIAM; ISSN: 0022-538X
 AU Shotton, C.; Arnold, C.; Sattentau, Q.; Sodroski, J.; McKeating, J. A.

L3 ANSWER 27 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
 INC.DUPLICATE
 19
 TI Genomic instability and LOH at two polymorphic sites in the H-ras1 gene.
 SO International Journal of Oncology, (1994) Vol. 5, No. 6, pp. 1249-1253.
 ISSN: 1019-6439.
 AU Kotsinas, A.; Vageli, D.; Varakliotou, A.; Anezinis, P.; Cranidis, A.; Spandidos, D. A (1)

L3 ANSWER 28 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
 TI Identification and characterization of monoclonal antibodies specific for polymorphic antigenic determinants within the V2 region of the human immunodeficiency virus type 1 envelope glycoprotein.
 SO Journal of Virology, (1994) Vol. 69, No. 1, pp. 222-230.
 ISSN: 0022-538X.
 AU Shotton, C.; Arnold, C.; Sattentau, Q.; Sodroski, J.; McKeating, J. A.
 (1)

L3 ANSWER 29 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
 INC.DUPLICATE

20

TI M26 Recombinational hotspot and physical conversion tract analysis in the ade6 gene of *Schizosaccharomyces pombe*.

SO Genetics, (1994) Vol. 136, No. 1, pp. 41-51.
ISSN: 0016-6731.

AU Grimm, Christian (1); Baehler, Juerg; Kohli, Juerg

L3 ANSWER 30 OF 40 CAPLUS COPYRIGHT 2002 ACS

TI Direct sequencing of the human protamine P1 gene and application in forensic medicine

SO J. Forensic Sci. (1993), 38(6), 1491-501
CODEN: JFSCAS; ISSN: 0022-1198

AU Queralt, Rosa; de Fabregues-Boixar, Oriol; Adroer, Rosa; Gene, Manel; Gomez-Catalan, Jesus; Huguet, Emili; Oliva, Rafael

L3 ANSWER 31 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS

INC.DUPLICATE

21

TI Epidermal growth factor receptor expression in squamous cell lung carcinomas: An immunohistochemical and gene analysis in formalin-fixed, paraffin-embedded material.

SO Virchows Archiv A Pathological Anatomy and Histopathology, (1993) Vol. 423, No. 4, pp. 295-302.
ISSN: 0174-7398.

AU Gorgoulis, V.; Giatromanolaki, A.; Karameris, A. (1); Tsatsanis, C.; Aninos, D.; Ozanne, B.; Veslemes, M.; Jordanoglou, J.; Trigidou, R.; Papastamatiou, H.; Spandidos, D. A.

L3 ANSWER 32 OF 40 CAPLUS COPYRIGHT 2002 ACS

TI Nonsynonymous polymorphic sites in the apolipoprotein (apo) A-IV gene are associated with changes in the concentration of apo B- and apo A-I-containing lipoproteins in a normal population

SO Am. J. Hum. Genet. (1992), 50(5), 1115-28
CODEN: AJHGAG; ISSN: 0002-9297

AU Von Eckardstein, Arnold; Funke, Harald; Schulte, Manfred; Erren, Michael; Schulte, Helmut; Assmann, Gerd

L3 ANSWER 33 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS

INC.DUPLICATE

22

TI STRONG ASSOCIATIONS BETWEEN RFLP AND PROTEIN POLYMORPHISMS FOR CD46.

SO IMMUNOGENETICS, (1992) 36 (2), 79-85.
CODEN: IMNGBK. ISSN: 0093-7711.

AU WILTON A N; JOHNSTONE R W; MCKENZIE I F C; PURCELL D F J

L3 ANSWER 34 OF 40 CAPLUS COPYRIGHT 2002 ACS

TI Isolation and polymorphism in mitochondrial DNA from *Schistosoma mansoni*

SO Mol. Biochem. Parasitol. (1991), 47(1), 139-41
CODEN: MBIPDP; ISSN: 0166-6851

AU Despres, L.; Imbert-Establet, D.; Combes, C.; Bonhomme, F.; Monnerot, M.

L3 ANSWER 35 OF 40 EMBASE COPYRIGHT 2002 ELSEVIER SCI. B.V.

TI The major histocompatibility complex of frogs.

SO Immunological Reviews, (1990) -/113 (47-63).
ISSN: 0105-2896 CODEN: IMRED2

AU Flajnik M.F.; Pasquier L.D.

L3 ANSWER 36 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS

INC.DUPLICATE

23

TI STRUCTURE AND POLYMORPHIC MAP OF HUMAN LIPOPROTEIN LIPASE GENE.

SO BIOCHIM BIOPHYS ACTA, (1990) 1049 (1), 21-26.
 CODEN: BBACAQ. ISSN: 0006-3002.

AU OKA K; TKALCEVIC G T; NAKANO T; TUCKER H; ISHIMURA-OKA K; BROWN W V

L3 ANSWER 37 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
 INC.DUPLICATE
 24

TI MOLECULAR ANALYSIS OF PLECKSTRIN THE MAJOR PROTEIN KINASE C SUBSTRATE OF
 PLATELETS.

SO J CELL BIOCHEM, (1989) 40 (2), 133-146.
 CODEN: JCEBD5. ISSN: 0730-2312.

AU TYERS M; HASLAM R J; RACHUBINSKI R A; HARLEY C B

L3 ANSWER 38 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
 INC.DUPLICATE
 25

TI ORIGIN AND DIFFERENTIATION OF HUMAN MITOCHONDRIAL DNA.

SO AM J HUM GENET, (1989) 44 (1), 73-85.
 CODEN: AJHGAG. ISSN: 0002-9297.

AU EXCOFFIER L; LANGANEY A

L3 ANSWER 39 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
 INC.DUPLICATE
 26

TI IDENTIFICATION OF A VARIANT GROWTH HORMONE HAPLOTYPE IN MICE SELECTED FOR
 HIGH BODY WEIGHT.

SO GENET RES, (1988) 52 (1), 7-16.
 CODEN: GENRA8. ISSN: 0016-6723.

AU SALMON R K; BERG R T; YEH F C; HODGETTS R B

L3 ANSWER 40 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI **POLYMORPHIC SITE** INDEX EQUATIONS FOR LOBLOLLY PINE
 PINUS-TAEDA BASED ON A SEGMENTED POLYNOMIAL **DIFFERENTIAL** MODEL.

SO FOR SCI, (1982) 28 (3), 544-555.
 CODEN: FOSCAD. ISSN: 0015-749X.

AU DEVAN J S; BURKHART H E

=> d 13 19, 22, 24 27

L3 ANSWER 19 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
 INC.DUPLICATE
 15

AN 1998:121083 BIOSIS

DN PREV199800121083

TI Allelic polymorphisms in the transcriptional regulatory region of
 apolipoprotein E gene.

AU Artiga, Maria J.; Bullido, Maria J.; Sastre, Isabel; Recuero, Maria;
 Garcia, Miguel A.; Aldudo, Jesus; Vazquez, Jesus; Valdivieso, Fernando

(1)

CS (1) Cent. Biol. Mol. Severo Ochoa, Univ. Autonoma Madrid, Cantoblanco,
 28049 Madrid Spain

SO FEBS Letters, (Jan. 9, 1998) Vol. 421, No. 2, pp. 105-108.
 ISSN: 0014-5793.

DT Article

LA English

L3 ANSWER 22 OF 40 CAPLUS COPYRIGHT 2002 ACS

AN 1996:438039 CAPLUS

DN 125:134785

TI Diagnostic method and kit for determining Kell blood group genotype

IN Lee, Soohee; Redman, Colvin L.
 PA New York Blood Center, Inc., USA
 SO PCT Int. Appl., 140 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9615268	A1	19960523	WO 1995-US14684	19951109
	W:	AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT			
	RW:	KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG			
	US 5589336	A	19961231	US 1994-337268	19941110
	US 5804379	A	19980908	US 1995-484570	19950607
	AU 9642353	A1	19960606	AU 1996-42353	19951109
	AU 709728	B2	19990902		
	EP 791076	A1	19970827	EP 1995-940686	19951109
	R:	AT, CH, DE, FR, GB, IT, LI, NL, SE			
	JP 10509867	T2	19980929	JP 1995-516237	19951109
PRAI	US 1994-337268		19941110		
	US 1995-484570		19950607		
	WO 1995-US14684		19951109		

L3 ANSWER 24 OF 40 CAPLUS COPYRIGHT 2002 ACS
 AN 1995:993898 CAPLUS
 DN 124:77626
 TI Improved oligonucleotide primer set for molecular diagnosis of X-linked agammaglobulinemia: predominance of amino acid substitutions in the catalytic domain of Bruton's tyrosine kinase
 AU Vorechovsky, Igor; Luo, Liping; de Saint Basile, Genevieve; Hammarstroem, Lennart; Webster, A. David B.; Smith, C. I. Edvard
 CS MRC Immunodeficiency Research Group, Royal Free Hospital of Medicine, London, NW3 2PF, UK
 SO Hum. Mol. Genet. (1995), 4(12), 2403-05
 CODEN: HMGE5; ISSN: 0964-6906
 DT Journal
 LA English

L3 ANSWER 27 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
 INC.DUPLICATE
 19
 AN 1995:110719 BIOSIS
 DN PREV199598125019
 TI Genomic instability and LOH at two polymorphic sites in the H-ras1 gene.
 AU Kotsinas, A.; Vageli, D.; Varakliotou, A.; Anezinis, P.; Cranidis, A.; Spandidos, D. A (1)
 CS (1) Inst. Biological Res. Biotechnol., Natl. Hellenic Res. Found., 48 Vas.
 Constantinou Ave., Athens 11635 Greece
 SO International Journal of Oncology, (1994) Vol. 5, No. 6, pp. 1249-1253.
 ISSN: 1019-6439.
 DT Article
 LA English

=> d 13 19, 22, 24 27 abs

L3 ANSWER 19 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
INC.DUPLICATE

15

AB In this work, we explored the existence of genetic variants within the apolipoprotein E gene transcriptional regulatory region, using a denaturing gradient gel electrophoresis screening of a region comprising nucleotides -1017 to +406. Upon a population study, three new **polymorphic sites** (-491, -427 and -219) and two mutations were found. Functional effects of the polymorphisms, assayed by transient transfection and electrophoretic mobility shift assays in a human hepatoma cell line, showed that polymorphisms at sites -491 and -219 of the APOE promoter produce variations in the transcriptional activity of the gene, most probably through **differential** binding of nuclear proteins.

L3 ANSWER 22 OF 40 CAPLUS COPYRIGHT 2002 ACS

AB The invention provides a diagnostic method of detg. Kell genotype by the identification of the mol. basis of a Kell polymorphism. Specifically, the invention provides a method for detg. K1/K2 genotype with great accuracy, overcoming problems assocd. with traditional serol. typing methods. The diagnostic method of the invention preferably employs amplification of K1/K2 nucleic acid sequences, and optionally employs **differential** cleavage of K1-K2-specific nucleic acid sequences by a restriction enzyme. Also provided are nucleic acid oligomers useful as probes or primers for the method of the invention. Furthermore, diagnostic kits for the detn. of Kell genotype are provided. Thus, the complete sequence of the KEL gene from a human placental genomic DNA library indicated that the gene is organized into 19 exons. PCR cloning and sequencing indicated the mol. basis for the K1/K2, K6/K7, K10/K(-10), and K3/K4/K21 polymorphisms: the K1/K2 polymorphism occurs in exon 6 resulting in a Thr192.fwdarw.Met substitution in the Kell protein; the K6/K7 polymorphism is in exon 17 resulting in a Leu597.fwdarw.Pro substitution; a point exon 13 results in Glu496.fwdarw.Val for the K10/K(-10) polymorphism; and the K3/K4/K21 polymorphism is in exon 8 with an Arg281.fwdarw.Trp.fwdarw.Gln substitution. Each of these **polymorphic sites** cleavable by specific restriction endonucleases (BsmI for K1/K2, MnlI or DdeI for K6/K7, AccI for K10/K(-10), and NlaIII or PvuII for K3/K4/K21) or amplifiable by allele-specific PCR primers. In addn., alloimmunization can be detd.

with

Kell antigen peptide probes reactive to anti-Kell antibodies.

L3 ANSWER 24 OF 40 CAPLUS COPYRIGHT 2002 ACS

AB For rapid individual anal. of patients with X-linked agammaglobulinemia (XLA) and for disease carriers, an exon-scanning approach has been developed using a single PCR to amplify all exons and the putative promoter region with a single annealing temp. and with the same PCR conditions for all amplified segments. This oligonucleotide primer set has now been improved to amplify individually all Bruton's tyrosine

kinase

(BTK) exons, to **enhance** the yield and purity of the PCR products, to avoid described **polymorphic sites** in the amplified segments, and to solve inconsistencies in the intronic sequences

generated independently by several groups. Novel missense mutations

I429N

and M477R were identified. Thus, a rapid and efficient system for mutation detection of the BTK gene is presented which allows an improved mol. diagnosis of individual patients with XLA, including presymptomatic testing for a putative gene defect and **differential** diagnosis of

human primary immunodeficiencies with a reduced no. of B-cells. A non-random distribution of amino acid substitutions along the enzyme domains has been demonstrated using the available BTK mutation pattern in patients with XLA.

L3 ANSWER 27 OF 40 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS
INC.DUPLICATE

19

AB Several repetitive elements have been associated with and identified in the surrounding region and within the human c-H-ras1 gene. The polymorphism exhibited by these sites provides valuable information regarding the function and structure of the H-ras gene. We have investigated two such **polymorphic sites**: i) a hexanucleotide microsatellite region (HRMS) within intron 1 of H-ras and ii) the VTR region at the 3' end of the gene. Comparison between normal and tumor tissues from 25 samples of bladder cancer revealed that 5 samples (20%) exhibited LOH at these **polymorphic sites** indicating that an allelic loss had occurred at the H-ras locus. Furthermore, instability was detected in 4 cases at the hexanucleotide locus, while the VTR region was found unaffected. The two **polymorphic sites** are in a strong linkage disequilibrium in normal tissues, while in tumor tissues with genomic instability this linkage is altered, possibly leading to **differential** regulation of the H-ras. Also a previously reported allele at the HRMS locus was found to behave in a manner that preserves the linkage between the two **polymorphic sites** in normal tissues.

=> s PCR amplification (S) stem loop primers

L4 0 PCR AMPLIFICATION (S) STEM LOOP PRIMERS

=> s PCR amplification (S) hairpin primers

L5 0 PCR AMPLIFICATION (S) HAIRPIN PRIMERS

=> s PCR amplification and hairpin primers

L6 1 PCR AMPLIFICATION AND HAIRPIN PRIMERS

=> d 16

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS

AN 2002:555680 CAPLUS

TI Fluorescent dye-labeled primers containing base or sugar analogs for improved sensitivity and control of artifacts in nucleic acid amplification

IN Nazarenko, Irina; Rashtchian, Ayoub; Solus, Joseph; Pires, Richard M.; Darfler, Marlene; Gebeyehu, Gulilat; Astatke, Mekbib

PA Invitrogen Corporation, USA

SO PCT Int. Appl., 307 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002057479	A2	20020725	WO 2001-US50460	20011227
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
	CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,				
	GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,				
	LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,				
	PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ,				
	UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ,				

TM

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
PRAI US 2000-748146 A 20001227
US 2001-330468P P 20011023

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	114.59	114.80
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-1.24	-1.24

STN INTERNATIONAL LOGOFF AT 11:31:07 ON 13 AUG 2002